Archer AUSTRALIA

CHAINSAW BAR CATALOGUE

CHAINSAW PADS CONTACTS

Paul M Duggan

380 Foleys Road, Derrimut
(Melbourne) VICTORIA 3030
AUSTRALIA

Phone +613 8390 3900
Fax +613 8390 3999
Mobile +61 414 317 316
Email paul@pmdinter.com.au
Skype paulduggan10

Chris J Fehn
International Sales Manager

PO Box 291209
605 South Brick Road
COLUMBIA, SC 29229
USA

Phone +1 803 736 0758
Fax +1 803 865 8269
Mobile +1 803 309 0822
Email chris@pmdintusa.com
Skype CJFEHN

Cindy Zhang

397 Jinyuan Street,
Dongmei Industrial Park
JINHUA, ZHEJIANG
CHINA

Phone 86 579 8223 9812
Fax 86 579 8223 9821
Mobile 86 138 6899 9730
Email cindy@pmdchina.com.cn
Skype cindypmd

WORLDWIDE OFFICES:

AUSTRALIA
Melbourne

USA
Columbia

CHINA
JinHua

CHAINSAW CONTENTS

Chainsaw Guide Bars	4-8
Part Number System	9
Replacement Guide Bar Noses	11
Chainsaw Guide Bar Mounts	12-17
Application Guide	19-47
Part Number Cross Reference	48-56
Chainsaw Guide Bar Mounts Cross Reference	57-59

PROMAX RN BAR TYPE

Roller sprocket nose guide bar
For professional users
Solid one piece construction
6 rivet nose

Available in:
.325”, 3/8” and .404” noses

.325” x 12 Teeth Sprocket
3/8” x 11 Teeth Sprocket
.404” x 10 Teeth Sprocket

LASERMAX HS BAR TYPE

Professional ‘Stellite’ solid laser welded guide bar

WOODMAX WM BAR TYPE

Mini roller sprocket nose guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” LP noses



.325” x 12 Teeth Sprocket
3/8” LP x 11 Teeth Sprocket

TIMBERMAX LS BAR TYPE

Laminated guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” sprockets

.325” x 11 Teeth Sprocket
3/8” x 10 Teeth Sprocket

TRIMAX TL BAR TYPE

Heavy duty, laminated guide bar
6 rivet replaceable sprocket nose
For professional users

Available in:
.325”, 3/8” and .404” noses



.325” x 12 Teeth Sprocket
3/8” x 11 Teeth Sprocket
.404” x 10 Teeth Sprocket

MINIMAX CL BAR TYPE

Consumer laminated guide bar
4 rivets replaceable sprocket nose.

Available in:
.325” and 3/8” LP



.325” x 10 Teeth Sprocket
3/8” LP x 9 Teeth Sprocket

HOBBYMAX HL BAR

Consumer laminated guide bar

1 rivet sprocket nose

Available in:
3/8” LP



3/8” LP x 7 Teeth Sprocket
1/4” x 9 Teeth Sprocket

REPLACEMENT NOSES

Professional laminated guide bar

5 rivet nose

Available in:
.404” to .325” and 3/8”

.325” OR325 - .325 x 12 Teeth
3/8” OR38 - 3/8” x 11 Teeth
.404” OR404 - .404 x 10 Teeth

Professional mini roller sprocket nose guide bar

4 rivet replaceable sprocket nose

Available in:
.325” and 3/8” LP

CARVING BAR

8 X 0 - HS - CCY
10 X 0 - HS - COY
12 X 0 - HS - COY
14 X 0 - HS - COY
16 X 0 - HS - COY
18 X 0 - HS - COY

PRUNING BAR

8D0 - HL - PR 3/8 LP (043 & 050)
8K0 - HL - PR 1/4 (043 & 050)

20 A 3 LS SN



20 Bar Length	A Pitch	3 Gauge	LS Bar Type	SN Mount
12″	A =3/8″ x 10T	0 = .050″ (1.3 mm)	HS	SN
14″	B =.325″ x 11T	3 = .063″ (1.6 mm)	RN	HV
16″	D = 3/8″ LP x 9T	4 = .043″ (1.1 mm)	RL	UH
20″	F = .404″ x 10T	8 = .058″ (1.5 mm)	LS	SW
etc.	X = Stellite		TL	PO
	K = 1/4″		CL	etc.
			HL	

CHAINSAW BARS PART NUMBERING SYSTEM

WE CAN MAKE ANY BAR YOU REQUIRE.

WE ARE HERE TO ASSIST YOU.

Archer AUSTRALIA

ARCHER SPROCKETS ARE SUPERIOR TO ALL OTHER SPROCKETS

WHY?

BECAUSE THEY ARE SPECIALLY MADE IN ONE (1) PIECE HOT FORGED FOR SUPERIOR STRENGTH & LONGER PERFORMANCE.

CHAINSAW/BARS SPROCKETS

BEARING INCLUDED
OVER 330 MODELS

RIMS INCLUDED
GREAT PACKAGING

SEE ARCHER SPROCKET CATALOGUE FOR COMPLETE LISTINGS

ALKO

E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KE4000, KE3500

30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

140, 240, KB5000

33	13	.325	.050	1,3	56	384				13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509					18B0-LS-UH		
50	20	.325	.050	1,3	80	583					20B0-LS-UH		

1074, P21, P26, P28, 251, 261, 460, 480

40	16	3/8	.050	1,3	60					16A0-TL-EX	16A0-LS-EX		
45	18	3/8	.050	1,3	64					18A0-TL-E	18A0-LS-E		
	18	3/8	.050	1,3	66					18A0-TL-EX	18A0-LS-EX		
50	20	3/8	.050	1,3	70			20A0-RN-EX		20A0-TL-EX	20A0-LS-EX		
60	24	3/8	.050	1.3	84			24AO-RN-EX					

ALPINA

ELETTRA 160/170, ENERGY 1.6, ENERGY 1.8, SINERGY 35, SINERGY 40, P360, PR361, P370, P390, PR391, PR270, PR280

30	12	3/8 LP	.043	1,1	44	342			12D0-WM-SW			12D4-CL-SW	12D4-HL-SW
35	14	3/8 LP	.043	1,1	50	391			14D0-WM-SW			14D4-CL-SW	14D4-HL-SW
40	16	3/8 LP	.043	1,1	55	434			16D0-WM-SW			16D4-CL-SW	16D4-HL-SW
30	12	3/8 LP	.050	1,3	44	342						12D0-CL-SW	12D0-HL-SW
35	14	3/8 LP	.050	1,3	50	391						14D0-CL-SW	14D0-HL-SW
40	16	3/8 LP	.050	1,3	55	434						16D0-CL-SW	16D0-HL-SW

E120, E130, E150, ES182, ES202,A-10E, A-14E, KS1400B, KS1500B, 352, 382

30	12	3/8 LP	.050	1,3	44	342						12D0-CL-PO1	
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

C25, C38T, EA1800, C1.8E, A4000, A3700, EA2000, QC38, C2.2ET, C2.2E, C2.0ET, C2.0E

	10	3/8	.050										
	14	3/8	.050										
	16	3/8	.050										
	18												

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
ALPINA CONTINUED													
A350, P382, A40, A400, P41, P45, P400, P402, P411 P422, P442, P510, P522, PRO-540, PRO-600, C40, P510, P460, P700, P482, C41, P500, P450, CP66, ,P450 , P470, P480, P45, CP40, CP41, CP540, CP600 CP65, CP55, CP56, PROF 66													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	509		18B0-RN-UH			18B0-LS-UH		
C46, C50, A4500													
.058 GROOVE GUAGE FOR ABOVE BARS													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	567		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
PROF-55, PROF-56, PROF-65, PROF-66, 600, 600i, P650, P700, P750, PROF 800, PROF90, PRO78, 970S, CP90, CP120, C46, C50, A4500													
38	15	3/8	.058	1,5	56	451				15A8-TL-UH	15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18X8-RN-UHX		18X8-TL-UHX			
50	20	3/8	.058	1,5	70	566		20X8-RN-UHX		20X8-TL-UHX	20X8-LS-UH		
50	20	3/8	.058	1,5	72	583		20X8-RN-UH		20X8-TL-UH			
P660, P680, P700, P750, P760, P800													
45	18	3/8	.058	1,5	68	548	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	583	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,6	76	623	22X8-HS-HV	22A8-RN-HV					
BLITZ													
B34, B300, B304, B400, B404, B4, B38, B35D, B35DX, B35, E140F													
30	12	3/8 LP	.050	1,3	44							12D0-CL-OL	
35	14	3/8 LP	.050	1,3	50							14D0-CL-OL	
40	16	3/8 LP	.050	1,3	55							16D0-CL-OL	
B42, B45A, B54A, B46, B51, B38, B41, B54													
33	13	.325	.058	1,5	56	384					13B8-LS-UH		
38	15	.325	.058	1,5	64	445					15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	80	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

BLITZ CONTINUED

B50, B52, B55, B60, B64, B500, B501S, B502, B504, B600, B701, B702, B80, B800, B802, B804, B52AF, B64XLF													
40	16	3/8	.058	1,5	60	471					16A8-LS-JO		
45	18	3/8	.058	1,5	68	545				18A8-TL-JO	18A8-LS-JO		
50	20	3/8	.058	1,5	72	583				20A8-TL-JO	20A8-LS-JO		

BOSCH

AKE30/17S-18S-19S, AKE35/17-18-19, AKE40/17-18-19													
30	12	3/8 LP	.043	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.043	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.043	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

1586.7, 1586.8, AKE30B, AKE35, AKE40, GKE35, GKE40, PKE25, PKE30, PKE35, PKE40, AKE35-19PRO, BULLCRAFT													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

KS450													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509					18B0-LS-UH		
50	20	.325	.050	1,3	80	583					20B0-LS-UH		

CARVING BARS

24mm (quarter) tip with Open mount 1/4 pitch													
	10	1/4	.050	1.3	60	324	10X0-HS-COY						
	12	1/4	.050	1.3	68	342	12X0-HS-COY						
	14	1/4	.050	1.3	76	413	14X0-HS-COY						
	16	1/4	.050	1.3	90	471	16X0-HS-COY						
	18	1/4	.050	1.3	94	520	18X0-HS-COY						

24mm (quarter) tip with Open mount 3/8 LP pitch													
	10	3/8LP	.050	1.3	42	324	10X0-HS-COY						
	12	3/8LP	.050	1.3	45	342	12X0-HS-COY						
	14	3/8LP	.050	1.3	53	413	14X0-HS-COY						
	16	3/8LP	.050	1.3	61	471	16X0-HS-COY						
	18	3/8LP	.050	1.3	64	520	18X0-HS-COY						

CARVING BARS CONTINUED

24mm (quarter) tip with closed mount 1/4 Pitch

	8	1/4	.050	1.3	54	274	8X0-HS-CCY						
	8	1/4	.043	1.1	54	274	8X4-HS-CCY						
	10	1/4	.050	1.3	62	324	10X0-HS-CCY						

24mm (quarter) tip with closed mount 3/8 LP Pitch

	8	3/8LP	.050	1.3	37	274	8X0-HS-CCY						
	8	3/8LP	.043	1.1	37	274	8X4-HS-CCY						
	10	3/8LP	.050	1.3	42	324	10X0-HS-CCY						

CASTEL

CS16E, CS17E, CS35, CS36, CS39

30	12	3/8 LP	.050	1,3	44	342			12D0-WM-SW			12D0-CL-SW	12D0-HL-SW
35	14	3/8 LP	.050	1,3	50	391			14D0-WM-SW			14D0-CL-SW	14D0-HL-SW
40	16	3/8 LP	.050	1,3	55	434			16D0-WM-SW			16D0-CL-SW	16D0-HL-SW

CS45, CS50

33	13	.325	.058	1,5	56	385				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519				18B8-TL-UH	18B8-LS-UH		

CS60

40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	519				18A8-TL-UH	18A8-LS-UH		
50	20	3/8	.058	1,5	70	566				20A8-TL-UHX	20A8-LS-UHX		
50	20	3/8	.058	1,5	72	583				20A8-TL-UH	20A8-LS-UH		

CASTOR

ELETTRA 160/ 170, HIGH TECH 1.6/ 1.8, CP360, CP370, CP380

30	12	3/8 LP	.050	1,3	44								
35	14	3/8 LP	.050	1,3	50								
40	16	3/8 LP	.050	1,3	55								

C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550

33	13	.325	.050	1,3	56	385				13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		

CASTOR CONTINUED

C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550													
33	13	.325	.058	1,5	56	385				13B8-TL-UH	13B8-LS-UH		
	14	.325	.058	1,5	60	415				14B8-TL-UH	14B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	465					16B8-LS-UH		
45	18	.325	.058	1,5	72	519					18B8-LS-UH		
50	20	.325	.058	1,5	78	566				20B8-TL-UH	20B8-LS-UH		
50	20	.325	.058	1,5	80	583				20B8-TL-UHX	20B8-LS-UHX		
CP-55, CP-56, CP-65, CP-66, CP600, CP600i, CP650													
40	16	3/8	.050	1,3	60	468					16A0-LS-UH		
45	18	3/8	.050	1,3	64	519		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH		
40	16	3/8	.058	1,5	60	468					16A8-LS-UH		
45	18	3/8	.058	1,5	64	519		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18A8-RN-UHX		18A8-TL-UHX	18A8-LS-UHX		
50	20	3/8	.058	1,5	70	566		20A8-RN-UH		20A8-TL-UHX	20A8-LS-UHX		
50	20	3/8	.058	1,5	72	583		20A8-RN-UHX		20A8-TL-UH	20A8-LS-UH		
CP-700, CP-800, CP750													
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV			
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV			
60	24	3/8	.058	1,5	76	690	24X8-HS-HV	24A8-RN-HV					

CHINA CHAINSAWS

30	12	3/8 LP	.050	1,3	45				12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	454			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443							16D0-HL-POX
35	14	3/8 LP	.050	1,3	52							14D0-CL-C	
40	16	3/8 LP	.050	1,3	56							16D0-CL-C	
45	18	3/8 LP	.050	1,3	62							18D0-CL-C	
35	14	.325	.050	1.3	60						14B0-LS-C		
40	16	.325	.050	1.3	64						16B0-LS-C		
45	18	.325	.050	1.3	72						18B0-LS-C		
50	20	.325	.050	1.3	76						20B0-LS-C		

DOLMAR

ES-31, ES-36, PS39, ES-40, ES-152A, ES-162A, AS-172A, PS33, PS-34, PS-3300TH, PS-330, PS-340, PS-341,PS342, PS-344, PS350, PS-400, PS-401, PS410, PS411, 90VP, 95VP, 3000, PS45, PS41														
30	12	3/8 LP	.043	1,1	45	348						12D4-CL-PO	12D4-HL-PO
35	14	3/8 LP	.043	1,1	52	415						14D4-CL-PO	14D4-HL-PO
40	16	3/8 LP	.043	1,1	56	443						16D4-CL-PO	16D4-HL-PO
PS3400, PS342, 100, 101, 102, 103, 104, 105, 106, 108, PS390, 275, 285, 295, ES140, ES160, ES1600, ES31, PS3410, ES152A, ES162A, ES172A, CS2040, ES151, ES140, 275, ES30, ES160, 285, ES161, ES2040, ES2035, ES153, ES183, ES173, ES163														
30	12	3/8 LP	.050	1,1	45	348			12D0-WM--PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,1	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,1	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
PS-32 , PS-351, PS-420, PS-35, PS-421, PS-5105, PS-510, PS-5105H, PS-6100, PS-6400, PS-6400H, PS-6400W														
	12	3/8	.050											
	14	3/8	.050											
	16	3/8	.050											
	18	3/8	.050											
	20													
PS-7310, PS-7310 H, PS-7910 H, PS-7910 W, PS-7910 XD														
	PHO	3/8	.050											
PS-510														
	18	.325	.050											
109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500														
38	15	.325	.050	1,3	64	445				15X0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	509				18B0-TL-UHX	18B0-LS-UHX		
50	20	.325	.050	1,3	78	566		20B8-RN-UH			20B8-LS-UH		
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	465				16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

DOLMAR CONTINUED

109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500														
40	16	3/8	.058	1,5	60	465				16A8-TL-UH	16A8-LS-UH			
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH			
50	20	3/8	.058	1,5	72	583		20A8-RN-UH		20A8-TL-UH	20A8-LS-UH			
60	24	3/8	.058	1,5	84	662								
45	16	3/8	.050	1,3	60	471				16A0-TL-UH	16A0-LS-UH			
50	18	3/8	.050	1,3	64	515		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH			
50	20	3/8	.050	1,3	72	583		20A0-RN-UH		20A0-TL-UH	20A0-LS-UH			
60	24	3/8	.050	1,3	84	662								
122, 123, 133, 143, 144, 152, 153, 166, 186, CA														
43	17	3/8	.063	1,6	64									
53	21	3/8	.063	1,6	73									
63	25	3/8	.063	1,6	87									
PS-6400, PS-7300, PS-7900, PS9000, PS9010														
40	16	3/8	.058	1,5	60	471	16X8-HS-HV							
43	17	3/8	.058	1,5	64	508								
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV				
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV				
55	22	3/8	.058	1,5	76	623	22X8-HS-HV	22A8-RN-HV						
60	24	3/8	.058	1,5	84	690								
65	26	3/8	.058	1,5	89									
70	28	3/8	.058	1,5	92	768								

ECHO (KIORITZ)

CS-280, CS-302, CS-304VL,CS320, 341, 346, 3000, 3400, 3450, CS-280EG, CS-280EVL, CS-351IVL CS260, CS2700,														
25	10	1/4	.050	1,3	56	300								10K0-HL-PO
30	12	1/4	.050	1,3	66	351								12K0-HL-PO
35	14	1/4	.050	1,3	76	417								14K0-HL-PO
CS2700, CS-285EVL, CS-290EVL, CS-300EVL, CS320, CS-280E, CS-302, CS305, CS310, CS-315, CS-320EVL, CS-328, CS-330EVL, CS-360EVL, E155, CS-2800, CS-2900, CS3000, CS3050, CS-3400, CS3450, ECS150/1850FT, CS2600/ 3000/3400, CS3050/CS3500, CS-271, CS-301, CS-302S, CS-330, CS-340, CS341, CS-345, CS346, CS-351, CS-352, ECS-2000, ECS-3000, CS-4400, CS-2600, E255, CS260, CS370, CS370T, CS2700, CS350														
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO	
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO	
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO	

ECHO (KIORITZ) CONTINUED

CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500

35	13	.325	.050	1,3	56								
	14	.325	.050	1,3	61	415					14B0-LS-TO		
40	15	.325	.050	1,3	64	454					15B0-LS-TO		
45	16	.325	.050	1,3	66	465					16B0-LS-TO		
	18	.325	.050	1,3	72	519					18B0-LS-TO		

CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500

40	16	.325	.058	1,5	66						16B8-LS-ET		
45	18	.325	.058	1,5	72						18B8-LS-ET		

CS-303T, CS60S, CS451VL, CS452VL, CS500EVL, CS501, CS510EVL, CS550EVL, CS590, CS-600EVL, CS602VL, CS-610EVL, CS620, CS-650EVL, CS-660EVL, CS-680, CS-702VL, CS750EVL, CS-750VL, CS5000, CS-5500, CS5501, CS-501, CS-601, CS610, CS-670, CS-701, CS702, CS-706, CS800, CS6700, CS6701, CS6702, CS6703, CS8000 , CS8001, CS8002

ALL EX BARS AVAILABLE IN .050 & .058 GAUGE GROOVES

40	16	3/8	.050	1,3	60					16A0-TL-EX	16A0-LS-EX		
45	18	3/8	.050	1,3	64					18A0-TL-E	18A0-LS-E		
	18	3/8	.050	1,3	66					18A0-TL-EX	18A0-LS-EX		
50	20	3/8	.050	1,3	70		20A0-RN-EX			20A0-TL-EX	20A0-LS-EX		
60	24	3/8	.050	1.3	84		24AO-RN-EX						

EFCO

125, 131, 132, 137, 141S, MT3500, MT3600, MT3700 MT3750, MT4000, MT350, MT440, MT4100

25	10	3/8LP	.050	1.3	40	300			10D0-WM-PO			10D0-CL-PO	10D0-HL-PO
30	12	3/8LP	.050	1.3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8LP	.050	1.3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8LP	.050	1.3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

141S, MT4100SP, MT440, MT4400

40	16	325	.050	1.3	66	468					16B0-LS-TO1		
45	18	325	.050	1.3	72	519					18B0-LS-TO		

147, 152, 156, 162, 165, MT5200

33	13	.325	.058	1,5	56	384					13B8-LS-UH		
38	15	.325	.058	1,5	64	445					15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	80	583		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

EFCO CONTINUED

147, 152, 156, 162, 165, MT6500													
33	13	3/8	.058	1,5		384							
38	15	3/8	.058	1,5		445					15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	68	519		18B8-RN-UH		18A8-TL-UH	18A8-LS-UH		
50	20	3/8	.058	1,5	72	583		20B8-RN-UH		20A8-TL-UH	20A8-LS-UH		
181, MT6500, MT7200, MT8200													
40	16	3/8	.058	1,5	60	474				16A8-TL-HV	16A8-LS-HV		
45	18	3/8	.058	1,5	68	549				18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586				20A8-TL-HV	20A8-LS-HV		
170, 180, 171, 181													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO	16A8-LS-JO		
45	18	3/8	.058	1,5	68	545				18A8-TL-JO	18A8-LS-JO		
50	20	3/8	.058	1,5	72	583				20A8-TL-JO	20A8-LS-JO		
199													
43	17	.404	.063	1,6	60								
53	21	.404	.063	1,6	68								
POLE PRUNER PT2700, PTX2700,PT2500													
25	10	3/8LP	.043	1.1	39							10D4-CL-MS	

EINHELL

PES30/2, PES34/2, PES34/3, PES35, PES35/2TS, PES35/3, PES35/3TS, PES40/3, PROFI, PKS35/1AV, PKS40/1AV, 45/1AV, KES1640, PES1540, KSE1435/1635/1640/2000, PKS1635/1840													
30	12	3/8 LP	.050	1,3	45	348						12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455						16D0-CL-PO	16D0-HL-PO
PKS45/1AV, PKS50/1AV, RBK 5045													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468				16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	509		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		

FRONTIER

MARK I, MARK 11 VIP, F35AV, FB35, FP35, FP45, FP365VIP													
35	14	3/8 LP	.050	1,3	50	452						14D0-CL-F	
40	16	3/8 LP	.050	1,3	56								

FRONTIER CONTINUED

FP45													
40	16	.325	.050	1,3	66								
45	18	.325	.050	1,3	72								

HITACHI

CS280, CS350, CS280B, CS350B, CS350A, CS35B													
30	12	3/8 LP	.050	1,3	45	348						12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455						16D0-CL-PO	16D0-HL-PO

HOMELITE

180 SERIES,192, 200, 240SL, 245SL, SUPER 2, (SL, CC, XL, VI), XEL, EL, XL SERIES, SUPER Z, 35SL, ELECTRIC, XL-10, BANDIT LX30, EL14, SABRE 31, 33, 205, 3350B,190, 240, 245, (BEFORE # XE339), ELECTRIC 200, LITTLE RED, LX-30, VI SUPER, XEL ELECTRIC													
30	12	3/8 LP	.050	1,3	48							12D0-CL-HX	
35	14	3/8 LP	.050	1,3	53							14D0-CL-HX	
40	16	3/8 LP	.050	1,3	59							16D0-CL-HX	
45	18	3/8 LP	.050	1,3	64								

20, 20AV, 23AV, 3300, 3350, 3800, 3850, 4500, 4550, CS40, Z3850, PS33, RANGER, BANDIT 33/38 SERIES- 3314, 3316, ZR10540/60/80, 3318, CS40, UT10640, UT10660, UT10680, 13350, UT43120, UT43122, UT10510/4/6/7, UT10530/40/44/89, UT10901/26/47, UT43100/2/3													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510			18D0-WM-PO			18D0-CL-PO	18D0-HL-PO

25, 25AV 27,27AV, 4100, 4150, 4500, 4550, D4550B, I4150B, I4550B, TIMBERMAN, UT10896, UT10910, UT10926, UT10927A, UT10942A, UT10946A, UT10974, UT10518/9/20/26/50/52, ZR10520/22, UT10896													
40	16	.325	.050	1,3	66	465						16B0-CL-PO	16B0-HL-PO
45	18	.325	.050	1,3	72	519						18B0-CL-PO	18B0-HL-PO
50	20	.325	.050	1,3	78	567						20B0-CL-PO	

35SL, 330, 350, 360, SUPER XL, , BIG RED, XL12, XL-AO, XL400, UT43122, 410, 450, 460, 540, 550,650, 700, 750, 800, 825, 850,900, 922, 923, 925, 955, 8800, SXL, UT43103, XL700, XL800, XL900													
	14	3/8	.050										
40	16	3/8	.050	1,3	59						16A0-LS-HN		
45	18	3/8	.050	1,3	64						18A0-LS-HN		
50	20	3/8	.050	1,3	70						20A0-LS-HN		
60	24	3/8	.050	1,3	84								

HOMELITE CONTINUED

SUPER 240, 250, 252, 290, 300, 340 CS40, CS50, 415, 4550, HSC4040, 4545, 30, 150,EZ, EZ AUTO, 130, SUPEREZ, SUPER XK MINI, EZ250, 252, VI SUP MINI, VI-123, VI-125, XL-76, XL100 SERIES,XL 250														
33	13	.325	.050	1,3	56	384				13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509					18B0-LS-UH		
50	20	.325	.050	1,3	80	583					20B0-LS-UH		

HUSQVARNA

23, 36, 41, 136, 137, 141, 142, 235, 240, 243, E16, E316, E317, E321, 250PS														
20	8	3/8LP	.050	1.3	32	268							8D0-HL-PO
25	10	3/8LP	.050	1.3	40	300							10D0-HL-PO
30	12	3/8LP	.050	1.3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8LP	.050	1.3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8LP	.050	1.3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

128LDX, 325P4X, 326P4X, 323P4, 327P5, 327PT5S, 33,34, 37, 333, 334T, 335XPT, 338, 136, T435, T540,137, 141, 142, 240, 243, 315E, 316E, 318E, 236E, 240E, 321E, 1400, 1600, 325P, T425, T435, 320E, 321EL, 135E														
25	10	3/8LP	.050	1,3	40									
30	12	3/8 LP	.050	1,3	45	342						12D0-CL-UH		
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-UH		
40	16	3/8 LP	.050	1,3	57	454						16D0-CL-UH		

38, 40, 40P, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 136, 137, 140, 141, 142, 154, 234, 235, 238, 240, 242XP, 243, 440E, 550XP, 246, 254XP/G, 257, 261, 262XP, 262XPG, 336, 339, 338, 340, 445E, 450E, 345, 346XP, 350, 351, 353, 357XPG, 359, 360, 362, 365, 550XP TrioBrake, EL16, EL1400, EL1500, EL1600, EL1200														
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		

40S, 55 RANCHER, 435, 440, 444, 445, 450, 455 RANCHER, 460 RANCHER, 555, 560XP, 570														
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	509		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
50	20	.325	.058	1,5	80	583		20B8-RN-UHX		20B8-TL-UHX			

HUSQVARNA CONTINUED

154, 346XP, 254XP/G, 257XP, 262, 262XP, 362XP/G, 243, 261, 357XP, 55 RANCHER, 562XP AUTOTUNE													
38	15	3/8	.058	1,5	56	451				15A8-TL-UH	15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18A8-RN-UHX		18A8-TL-UHX			
50	20	3/8	.058	1,5	70	566		20A8-RN-UHX		20A8-TL-UHX			
50	20	3/8	.058	1,5	72	583		20A8-RN-UH		20A8-TL-UH			
162, 61, 64, 65, 66, 70, 77, 160, 162, 181, 185, 260, 266, 266XP, T540XP, 268XP, 272, 272XP, 281XP, 285XP, 288XP, 298X, 365, 371XP, 372XP, 380, 385XP, 390XP, 394XP, 395XP, 480, 562, 570, 575, 576, 3120XP, 1100, 2100, 2101, 3120, 460													
40	16	3/8	.050	1,3	60	471	16X0-HS-HV			16A0-TL-HV	16A0-LS-HV		
45	18	3/8	.050	1,3	68	549	18X0-HS-HV	18A0-RN-HV		18A0-TL-HV	18A0-LS-HV		
50	20	3/8	.050	1,3	72	586	20X0-HS-HV	20A0-RN-HV		20A0-TL-HV	20A0-LS-HV		
60	24	3/8	.050	1,3	84	690	24X0-HS-HV	24A0-RN-HV					
70	28	3/8	.050	1,3	92	768							
556 AUTOTUNE, 570 AUTOTUNE, 576XP AUTOTUNE, 390XP, 395XP													
			.058	1,5	52					13A8-TL-HV			
40	16	3/8	.058	1,5	60	471	16X8-HS-HV			16A8-TL-HV	16A8-LS-HV		
43	17	3/8	.058	1,5	64	508					17A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,5	76	623		22A8-RN-HV					
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					
65	26	3/8	.058	1,5	89								
70	28	3/8	.058	1,5	92	768							
80	32	3/8	.058	1,5	102	890							
90	36	3/8	.058	1,5	115	983							
50	20	3/8	.063	1,6	72	586	20X3-HS-HV	20A3-RN-HV		20A3-TL-HV	20A3-LS-HV		
60	24	3/8	.063	1,6	84	690	24X3-HS-HV	24A3-RN-HV					
70	28	3/8	.063	1,6	92	768							
80	32	3/8	.063	1,6	102	890							
90	36	3/8	.063	1,6	115	983							

HUSQVARNA CONTINUED

3120 XP													
50	20	.404	.063	1,6	66	586	20X3-HS-HV	20F3-RN-HV		20F3-TL-HV	20F3-LS-HV		
60	24	.404	.063	1,6	76	690	24X3-HS-HV	24F3-RN-HV					
80	32	.404	.063	1,6	92	890							
90	36	.404	.063	1,6	104	983							

JOHN DEERE

25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CS36, CS40, CS40V, 45, 46, J3816													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510						18D0-CL-PO	18D0-HL-PO

45, 46, 300, 450													
40	16	.325	.050	1,3	66	465						16B0-CL-PO	16B0-HL-PO
45	18	.325	.050	1,3	72	519						18B0-CL-PO	18B0-HL-PO

CS46, CS52, 76EV, 450V, 300CS, 350CS													
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
50	20	.325	.050	1,3	78	566		20B0-RN-UH		20B0-TL-UH	20B0-LS-UH		

CS-46, CS-52, CS-56, CS-62, 50V, 51SV, 55SV, 550CS, 60V													
40	16	3/8	.050	1,3	60	468					16A0-LS-UH		
45	18	3/8	.050	1,3	64	509		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH		
50	20	3/8	.050	1,3	70	566		20A0-RN-UH		20A0-TL-UH	20A0-LS-UH		
60	24	3/8	.050	1,3	84	662							

80EV, CS71, CS81, 80EV, 800V, 65SV													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO			
45	18	3/8	.058	1,5	66	545				18A8-TL-JO			
50	20	3/8	.058	1,5	72	583				20A8-TL-JO			
60	24	3/8	.058	1,5	83								
70	28	3/8	.058	1,5	94								

JONSERED CONTINUED

M36, 36AV, M361,361,365, 370													
30	12	3/8 LP	.050	1,3	45	395						12D0-CL-F	
35	14	3/8 LP	.050	1,3	50	452						14D0-CL-F	
40	16	3/8 LP	.050	1,3	57								
2033TH, 2137, 2138, 2234, 2238													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
2035, 2036, 2040, 2135, 2121, 2117, 2118, 2121, 2135T, 2138, 2139, 2121EL, 2118EL, 2115EL, 2116EL, 2117EL, 2234, 2238													
30	12	3/8 LP	.050	1,3	45	342						12D0-CL-UH	
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-UH	
40	16	3/8 LP	.050	1,3	57	454						16D0-CL-UH	
EL14, EL45, 45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2252, 2253, 2258, 2260													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
38	15	.325	.050	1,3	64	445					15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2258, 2260, 2255S, 2234S, 2252, 2253WH, 2260WH													
3/8 ALSO AVAILABLE													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
60, 61, 62, 66, 70, 75, 77, 80, 81, 90. 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 930, 941													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO			
45	18	3/8	.058	1,5	64	545				18A8-TL-JO			
50	20	3/8	.058	1,5	72	583				20A8-TL-JO			

JONSERED CONTINUED

625, 630, 630 SUPER, 670, 670 CHAMP, 2077, 2083, 2094, 2095, 2065, 2071, 2171, 2172, 2165, 2166, 2172, 2186, 2188, 820/830, *920/930 (* with 9mm stud), 670 WEST COAST, 2172W, 2188													
40	16	3/8	.058	1,5	60	471	16X8-HS-HV			16A8-TL-HV	16A8-LS-HV		
43	17	3/8	.058	1,5	64	508				17A8-TL-HV	17A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,5	76	623	22X8-HS-HV	22A8-RN-HV					
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					
65	26	3/8	.058	1,5	89								
70	28	3/8	.058	1,5	93	768							
80	32	.404	.063	1,6	92	890							
90	36	3/8	.058	1,5	115	983							
50	20	.404	.063	1,6	66	586	20X8-HS-HV	20F3-RN-HV		20F3-TL-HV	20F3-LS-HV		
60	24	.404	.063	1,6	76	690	24X8-HS-HV	24F3-RN-HV					
90	36	.404	.063	1,6	104	983							

MAKITA

5011, 5012, 5014, 5016													
30	12	1/4	.050	1.3	66								
35	14	1/4	.050	1.3	76								
AUC120DWAE, DCS34, DCS330, 340, 341, 390, 400, 401, 5012, 5014, 5016, 3500, UC3501, UC3020A, UC3520, UC4020													
30	12	3/8LP	.043	1.1	46								
35	14	3/8LP	.043	1.1	52								
40	16	3/8LP	.043	1.1	56								
UC250DWB, DCS33, DCS34, DCS380, DCS390, DCS231, DCS232, DCS3410, DCS3501, 5011B, 5012B, 5014B, 5016B													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
DCS3000, DCS3500, DCS3501, DCS400, DCS4610, DCS350S, DCS390, 501GNB, DCS3520, DCS300													
38	15	.325	.050	1,3	64	445					15B0-LS-PO	15B0-CL-PO	
45	18	.325	.050	1,3	72	519					18B0-LS-PO	18B0-CL-PO	18B0-HL-PO

MAKITA CONTINUED

DCS430, DCS4300, DCS431, DCS520, DCS5200, 45

38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
50	20	.325	.050	1,3	78	566		20B0-RN-UH		20B0-TL-UH	20B0-LS-UH		
33	13	.325	.058	1,5	56					13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

DCS460, DCS500,DCS4600,DCS5030, DCS5200i, DCS6000i, DCS6800i, DCS4300, DCS5200

40	16	3/8	.050	1,3	60								
45	18	3/8	.050	1,3	64								
50	20	3/8	.050	1,3	72								
40	16	3/8	.058	1,5	60								
45	18	3/8	.058	1,5	64								

DCS6400, DCS6401, DCS7301, DCS7901, DCS9000, DCS9010, DCS7300, DCS7900, DCS500/45, DCS7301

40	16	3/8	.058	1,5	60	471	16X8-HS-HV			16A8-TL-HV	16A8-LS-HV		
43	17	3/8	.058	1,5	64	508				17A8-TL-HV	17A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,5	76	623	22X8-HS-HV	22A8-RN-HV					
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					

MARUYAMA

MCV3100, MCV3100

35	14	3/8LP	.050	1.3	52				14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8LP	.050	1.3	56				16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

MCCULLOCH

14A/S, 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 474, 484, 510, 515, 735, 838, 2010, 2014, 2016, 2138, 2316, 2318, 3200, 3210, 3219, 3514, 3516, 3518, 3800, 3850, 3816, 160S, 2018S, 3205-14, 3818V, C180, CALIFOTLIA, CALIFOTLIA 90, ARIZON, EAGER BEAVER (2010, 2012, 2014, 2016, 2116, 2318), ELECTRA MAC 16E, ELECTROMAC 1030, 1035, EB2.3, EB2.3 MAC CAT, EB 6a, EM16, 10, 12, 14, 16E, EMAC1040, DAY900, MAC CAT, MAC CAT (16, 18), MAC CAT 839, MINI MAC (ALL MODELS), 3214/6, 3516/8, MAC120, MAC130, MAC930, MAC935, MAC940, MC SERIES, MM30, MM35, MS1415, MS1420, MS1425, MS1430, MS1432, MS1435, MS1455, MS1630, MS1635, MS1635NAV, MS1635NAVCC, MS1640, MS1645, MS1838, MS1838AV, MS1838AVCC, MS1842AVCC, MS1846AVCC, PM36, PM300, PM310, PM320, PM360, PM364, PM370, PM380, PM394, PM470, PM480, PM494, PM510, PM400, PM484, PM6, PM730, POWER MAC SERIES (6, 145-14, 255-16), POWER MAC 6, PROMAC SERIES (3200, 3205, 3205-14, 3210, 3212, 3214, 3216, 3219, 3505, 3800, 3805, 3818, 3850), SILVER EAGLE SERIES (2010, 2012, 2012S, 2104, 2014S, 2016, 2018S, 2316), SP-40, SUPER 17, TITAN SERIES (35, 36, 37, 38, 39 40), WILDCAT, 380

30	12	3/8 LP	.050	1,3	44	336						12D0-CL-M	12D0-HL-M
35	14	3/8 LP	.050	1,3	49	382						14D0-CL-M	14D0-HL-M
40	16	3/8 LP	.050	1,3	55	433						16D0-CL-M	16D0-HL-M
45	18	3/8 LP	.050	1,3	60	485						18D0-CL-M	18D0-HL-M

4600, 4700, 4900, 5000, 40, 46, 54, 61, 72, 410-ELITE, 450-ELITE, 10E, 12E, 14E, 16E, MS1425, MS1640, CS360T, CS400T

35	14	3/8LP	.050	1.3	52							14D0-CL-UH	
40	16	3/8LP	.050	1.3	56							16D0-CL-UH	
40	16	.325	.050	1,3	66	465		16B0-RN-UH		16B0-TL-UH	16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
50	20	.325	.050	1,3	78	566		20B0-RN-UH		20B0-TL-UH	20B0-LS-UH		

1-10, 10-10, 2-10, 3-10, 4-10, 5-10, 55, 555, 6-10, 60, 610, 650, 655, 7-10, 70, 700, 80, 800, 805, 850, DE50, SP60, SP81, TITAN 50, TITAN 57, 955, 1000, CP55, CP70, CP70L, 560, 570, 620, DOUBLE EAGLE 50/57/80, PM605, PROMAC 5700/8200, SILVER EAGLE 3420/3720, SP-60, SP-70, SP80, SP81, TIMBER BEAR, TITAN 50/57/70, SP80, SP81, TITAN, MAC10 SERIES, 380, 360, 360T, 400, 400T

40	16	3/8	.050	1,3	60								
45	18	3/8	.050	1,3	64								
50	20	3/8	.050	1,3	70								
60	24	3/8	.050	1,3	81								

INLINE 1650, INLINE 1800T, INLINE 2200T, POWERMAC PLUS 1800, E-PROMAC1900, E-PROMAC2200

	14	3/8	.050										

MAC 950, 960, 970, 300, PROMAC 51/55/60/72

40	16	3/8	.058	1,5	60	471					16A8-LS-JO		
45	18	3/8	.058	1,5	68	545				18A8-TL-JO	18A8-LS-JO		
50	20	3/8	.058	1,5	72	583				20A8-TL-JO	20A8-LS-JO		

MS1215, MS1415, MS1425, MS1630, MS1640, MS1435, MS1645

35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510						18D0-CL-PO	18D0-HL-PO

MCCULLOCH CONTINUED

35CC, 40CC, 50CC, 55CC													
40	16	.325	.050	1,3	66	465					16X0-LS-TO		
45	18	.325	.050	1,3	72	519					18X0-LS-TO		
50	20	.325	.050	1,3	78	567					20X0-LS-TO		
CSE1935SI, CSE2040SI, CSE1835, CSE1935S, CSE2040, CSE2040S													
		3/8	.050										
		3/8	.050										

OLEO-MAC / OLYMPYK

OM15E													
	12	3/8	.043										
OM17E, OM19E													
	14	3/8	.050										
931, 932													
	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO		12D0-LS-PO	12D0-CL-PO	12D0-HL-PO
	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO		14D0-LS-PO	14D0-CL-PO	14D0-HL-PO
	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO		16D0-LS-PO	16D0-CL-PO	16D0-HL-PO
240, 241, 244, 935, OLE140F, OLE300													
30	12	3/8 LP	.050	1,3	44	342			12DO-WM-SW			12DO-CL-SW	12DO-HL-SW
35	14	3/8 LP	.050	1,3	50	391			14DO-WM-SW			14DO-CL-SW	14DO-HL-SW
40	16	3/8 LP	.050	1,3	55	434			16DO-WM-SW			16DO-CL-SW	16DO-HL-SW
938, 940, 941, 945, 950, 951, 956, 962													
38	15	.325	.050	1,3	64	445		15B0-RN-UH		15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468		16B80RN-UH		16B0-TL-UH	16B0-LS-UH		
45	18	.325	.050	1,3	72	509		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
35	14	.325	.058	1,5	60	415					14B8-LS-UH		
38	15	.325	.058	1,5	64	445		15B8-RN-UH		15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468		16B8-RN-UH		16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

OLEO-MAC / OLYMPYK CONTINUED

956, 962, 965													
40	16	3/8	.058	1,5	60								
45	18	3/8	.058	1,5	68								
50	20	3/8	.058	1,5	72								
55	22	3/8	.058	1,5	77								
250, 251, 252, 254, 260, 261, 264, 271, 272, 280, 284, 300, 350, 355, 364, 460, 461, 480, 481, 482, 484, 486, 956, 962, 965, 970, 971, 980, 981, 985, 999													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO			
45	18	3/8	.058	1,5	68	545				18A8-TL-JO			
50	20	3/8	.058	1,5	72	583				20A8-TL-JO			
999F													
	30	.404	.063										
POLE PRUNER EP100, EP90, PP 250, PPX 250, 925													
	10	3/8	.050										

PARTNER

1436, 1641, 1601, 1602, 1611, 1613, 1614, 1616, 1618, 330													
35	14	3/8 LP	.050	1,3	50	395						14D0-CL-F	
40	16	3/8 LP	.050	1,3	54	452						16D0-CL-F	
330, 335, 345, 360, 365, 385, 395, 351, 370, P 390, P 420, 350, 405, 340													
30	12	3/8 LP	.050	1,3	45	351			12D0-WM-PO		12D0-LS-PO	12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO		14D0-LS-PO	14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO		16D0-LS-PO	16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510					18D0-LS-PO	18D0-CL-PO	18D0-HL-PO
P360, P400, P450, EL1450, EL1650, 410, 460, 470, 360, 365, 400, 405, 450, 465, 495, 510, 540, 500, 545,MINI FARMERSAW, P500, P5000, 1200EL, 1400EL, 1450, 1500EL, EL1650, 410, 460, 510CCS, 370, 320, P48, P49, P400, P450, 420, 470, 550, P5500, 605, 390													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
35	14	.325	.058	1,5	60	415					14B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

PARTNER CONTINUED

550, 1655, 2055, 650, 7000, P100, P55, P65, P70, R16, R17, R18, R19, R20, R21, R22, R40, R417, R418, R420, R421, R422, R435, R440, R522, R523, S50, 555, S65, R11, R12, R14, R23, R30, R35, R416, R44, R517, P50, P51, F55, 550, P85, 7700, 710, 660, P7700, 710														
40	16	3/8	.058	1,5	60	471	16X8-HS-HV	16A8-RN-HV		16A8-TL-HV	16A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,5	77	623	22X8-HS-HV	22A8-RN-HV					
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					
65	26	3/8	.058	1,5	89								
70	28	3/8	.058	1,5	92	768							

POULAN

S25AV, S25CVA, S25D, S25DA, 20, 25 SERIES, 25A, 180, 190, 200, 205, 210, 220, 221, 225, 230, 235, 236,240, 250, 255, 260, 285, 295, 305, 306, 310, 325, 335, 336, 365, 523, 1220, 1425, 1625, 1800, 1900, 1900LE, 1950LE, 1975LE, 2000, 2050, 2055, 2055LE, 2075, 2075C, 2100, 2150, 2155, 2175, 2250, 2250LE, 2300, 2300CVA, 2350, 2375, 2375LE, 2400, 2450, 2500, 2550, 2600, 3314, 3416, 3516, 3816, 3816AV, 3818, 4018, 4218, 4218AV, E14E, E16E, ES350, ELECTRIC 1420, 1425, 1625, 2100, 2400, 2500, 2600, 400E, P600, PP210, PP260, PP295, PP300E, PP310, PP335, PP380, PATRIOT 1900,WILDTHING, WOODSHARK, MICRO 25, S23, S25														
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510						18D0-CL-PO	18D0-HL-PO

285, 295, 305, 306SA, 310, 315, 335, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300, 3500, 3600, PREDATOR, 4600, 4620													
40	16	.325	.050	1,3	66	465					16B0-LS-PO		
45	18	.325	.050	1,3	72	519					18B0-LS-PO		
50	20	.325	.050	1,3	78	548					20B0-LS-PO		

325													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
50	20	.325	.050	1,3	78	566		20B0-RN-UH		20B0-TL-UH	20B0-LS-UH		

3314, PLN1514													
	14	3/8	.050										

361, 365, 3600, 375, 3700, 380, 3800, 395, 3900, 400 SERIES, 400, 445, 450, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 670, 200 SERIES, 203, 245, 375, 300 SERIES, 306, 306A, 3400, 360, P4018WT													
40	16	3/8	.050	1,3	60	465					16A0-LS-PO		
45	18	3/8	.050	1,3	64	508				18A0-TL-PO	18A0-LS-PO		
50	20	3/8	.050	1,3	70	548				20A0-TL-PO	20A0-LS-PO		
60	24	3/8	.050	1,3	81								

POULAN CONTINUED

203, 245, 306, 360, 361, 375, 385, 395, 400, 445,446, 450, PLN3516F, 3400, 3700, 3800, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 5400, 6700														
40	16	3/8	.050	1,3	60	471				16A0-TL-EX	16A0-LS-EX		
45	18	3/8	.050	1,3	68	528				18A0-TL-EX	18A0-LS-EX		
6900, 7700, 8500														
40	16	3/8	.050	1,3	59						16A0-LS-HN		
45	18	3/8	.050	1,3	64						18A0-LS-HN		
50	20	3/8	.050	1,3	70						20A0-LS-HN		
60	24	3/8	.050	1,3	84								
POLESAWS, 446T,445,258T, 500P, PLN1510														
20	8	3/8 LP	.050	1,3	36	268							8D0-HL-PO
25	10	3/8 LP	.050	1,3	40	300							10D0-HL-PO
30	12	3/8 LP	.050	1,3	44	342			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
P4018														

POWER PRUNER (ECHO)

PP300, PPT-2400, PPSR-2122, PPSR-2433, PPT260, PP300, PP400, PP600, PP800, PP1000, PP1200, PP1250, PP1260, PP1400, PP1400-D, PPF-2100, PPT-2100, PPF-2400														
20	8	3/8 LP	.050	1,3	34	268							8D0-HL-MP
25	10	3/8 LP	.050	1,3	39	300							10D0-HL-MP
30	12	3/8 LP	.050	1,3	44	342							12D0-HL-MP
PPF280, PPT280, PPT265														
25	10	3/8LP	.050	1.3	40	300							10D0-HL-PO
30	12	3/8LP	.050	1.3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8LP	.050	1.3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO

RYOBI

35B, CS36, CS36C, CS41, CS3330, CS385CB, HC31, HC36, HC41, HCS31, HCS36, CS-1530/1535/1540														
40	16	.325	.058	1,5	66	465					16B8-LS-PO		
45	18	.325	.058	1,5	72	519					18B8-LS-PO		
50	20	.325	.058	1,5	78	567					20B8-LS-PO		

RYOBI CONTINUED

CSE5145, CSE5650													
30	12	3/8 LP	.043	1,1	44	342			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.043	1,1	56	443			WM			16D0-CL-PO	16D0-HL-PO

SEARS (CRAFTSMAN)

3400, 3401, 3402, 3407, 3411, 3412, 3414, 3415, 3425, 3445, 3455, 3460, 3461, 3476, 34071, 34115, 34116, 35023, 35025, 35027, 35028, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35080, 35081, 35082, 35091, 35093, 35095, 35096, 35202, 35203, 35205, 35206, 35207, 35209, 35211, 35215, 35216, 35219, 35224, 35231, 35232, 35235, 35238, 35255, 35256, 35270, 35273, 35280, 35283, 35363, 35366, 35367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35713, 35714, 35717, 35718, 35736, 35824, 358341040, 358350810, 358350670, 358360360, 358360380, 35841, 35886, 351040, 351140, 352680, 36010, 36012, 36015, 36017, 36080, 36082, 36085, 36087													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510						18D0-CL-PO	18D0-HL-PO

3403, 3416, 3417, 3470, 3471, 3482, 35256													
40	16	.325	.050	1,3	66	465					16B0-LS-PO		
45	18	.325	.050	1,3	72	519					18B0-LS-PO		

35507PS, 35020, 35119, 35120, 35121, 35492, 35607, 35624, 35624, 35624.2, 35628, 35633													
40	16	3/8	.050	1,3	60	465				16A0-TL-PO	16A0-LS-PO		
45	18	3/8	.050	1,3	64	508				18A0-TL-PO	18A0-LS-PO		
50	20	3/8	.050	1,3	70	548				20A0-TL-PO	20A0-LS-PO		

35145, 35212, 35483, 35608, 35609, 35690, 35721, 35727, 35728, 35826, 35829, 35851, 35881, 35885, Electrics (1983 and later), 35887, 35889													
30	12	3/8 LP	.050	1,3	45	348						12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	443						16D0-CL-PO	16D0-HL-PO

SHINDAIWA

280TCS													
	10	1/4	0.050										

P230, P231, 280TS, 320TS, 360TS													
20	8	3/8 LP	.050	1,3	34								8D0-HL-MS
25	10	3/8 LP	.050	1,3	40								10D0-HL-MS
30	12	3/8 LP	.050	1,3	44							12D0-CL-M	

SHINDAIWA CONTINUED

90, 100, 102, 103, 104, 105, 107, 110, 113, 120, 140, 150EL, 160EL, E180, 269, 285, 300, 305, 320, 340, 345, 346, 350, 352, 355, 360, 357, YB401, YB395, 353S													
25	10	3/8LP	050	1.3	40								
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
291, 300, 301, 305, 340, 345, 346, 350, 352, 390SX, 355, 357, 360, 366, 377,381, 389, 391, 394, 400, 401, 415, 416, 420, 440, 446, 450, 451,452, 488, 490, 500, 510, 560, 580, YB501, YB601, YB701, YB495, YB691, YB377, 488P, 405S, 600SX													
40	16	.325	.050	1,3	66	465				16B0-TL-TO	16B0-LS-PO		
45	18	.325	.050	1,3	72	519				18B0-TL-TO	18B0-LS-PO		
33	13	.325	.058	1.5	56								
35	15	.325	.058	1.5	64	445				15B8-TL-TO	15B8-LS-PO		
40	16	.325	.058	1,5	66	465				16B8-TL-TO	16B8-LS-PO		
	17	.325	.058	1.5									
45	18	.325	.058	1,5	72	519				18B8-TL-TO			
50	20	.325	.058	1.5	78	567				20B8-TL-TO			
291, 300, 301, 305, 340, 345, 346, 350, 355, 357, 360, 366, 377,381, 389, 391, 394, 400, 401, 415, 416, 420, 440, 446, 450, 451,452, 488, 490, 500, 510, 560, 580, YB501, YB601, YB701, YB495, YB691, YB377													
40	16	3/8	.058	1,5	60	465				16A8-TL-TO	16A8-LS-TO		
43	17	3/8	.058	1,5	64	445				17A8-TL-TO	17A8-LS-TO		
45	18	3/8	.058	1,5	68	519				18A8-TL-TO	18A8-LS-TO		
50	20	3/8	.058	1,5	72	567				20A8-TL-TO	20A8-LS-TO		
550, 575, 577, 680, 695, 757													
40	16	3/8	.058	1,5	60	471	16X8-HS-HV	16A8-RN-HV		16A8-TL-HV	16A8-LS-HV		
43	17	3/8	.058	1,5	64	508				17A8-TL-HV	17A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
	24	3/8	.058	1.5	84	690	24X8-HS-HV	24A8-RN-HV					
	28	3/8	.058	1.5	93	768							
POLE PRUNER M242, M254, P230, P231													
20	8	3/8 LP	.050	1,3	34	240							8D0-HL-MX
25	10	3/8 LP	.050	1,3	40	300							10D0-HL-MX
30	12	3/8 LP	.050	1,3	44	348							12D0-HL-MX
35	14	3/8 LP	.050	1,3	49	415							14D0-HL-MX

SOLO

613													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	454			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
614, 630, 633, 635, 636, 637, 640, 643													
30	12	3/8 LP	.050	1,3	45	342						12D0-CL-UHL	
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-UHL	
40	16	3/8 LP	.050	1,3	56	451						16D0-CL-UHL	
651, 652, 656													
38	15	.325	.050	1.3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	465				16B0-TL-UH	16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
38	15	.325	.058	1.5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	465				16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH			
603, 662, 665, 667, 670, 675, 680, 681, 690, 694													
40	16	3/8	.050	1,3	60	471	16X0-HS-HV			16A0-TL-HV	16A0-LS-HV		
45	18	3/8	.050	1,3	68	549	18X0-HS-HV	18A0-RN-HV		18A0-TL-HV	18A0-LS-HV		
50	20	3/8	.050	1,3	72	586	20X0-HS-HV	20A0-RN-HV		20A0-TL-HV	20A0-LS-HV		
60	24	3/8	.050	1,3	84	690	24X0-HS-HV	24A0-RN-HV					
70	28	3/8	.050	1,3	93	768							
40	16	3/8	.058	1,5	60	471	16X8-HS-HV			16A8-TL-HV	16A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV			
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					
50	20	.404	.063	1,6	66	586	20X3-HS-HV	20F3-RN-HV		20F3-TL-HV			
60	24	.404	.063	1,6	76	690	24X3-HS-HV	24F3-RN-HV					

STIHL

E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MS193C-E, MS150TC-E, MSE140, MSE160, MSE180, MS192, MSE200, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T														
30	12	3/8 LP	.043	1.1	44	342						12D4-CL-SW	12D4-HL-SW
35	14	3/8 LP	.043	1.1	50	391						14D4-CL-SW	14D4-HL-SW
40	16	3/8 LP	.043	1.1	55	434						16D4-CL-SW	16D4-HL-SW
E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MSE140, MSE160, MSE180, MS192, MSE200, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T, MS200, MS201, MS201T, MS210, MS211, MS230, MS231, MS250, MS251, 009, 010, 011, 012, 017, 018, 019, 020, 021, 023, 025														
30	12	3/8 LP	.050	1,3	44	342			12D0-WM-SW			12D0-CL-SW	12D0-HL-SW
35	14	3/8 LP	.050	1,3	50	391			14D0-WM-SW			14D0-CL-SW	14D0-HL-SW
40	16	3/8 LP	.050	1,3	55	434			16D0-WM-SW			16D0-CL-SW	16D0-HL-SW
45	18	3/8 LP	.050	1,3	61								
E140, HT70, HT75, 017, 018, 019T, 023L, MS140, MS160, MSE140, MSE180, MS192, ME220, MS170, MS171, MS180, MS181, MS190, MS191T, MS192T, MS200, MS210, MS211, MS230, MS231, MS250, MS251, 009, 010, 011, 012, 017, 018, 019, 020, 021, 023, 025														
40	16	.325	.050	1,3	62	434					16B0-LS-SW		
45	18	.325	.050	1,3	68	484					18B0-LS-SW		
50	20	.325	.050	1,3	81								
024, 026, 028, 028S, 029, 030, 031, 032, 034, 036, 036 PRO, 038, 039, FARM BOSS, 040, 041, 042, 044,045, 046, 048, 056, 064, 066														
32	13	.325	.063	1.6	56	373				13B3-TL-SN	13B3-LS-SN		
38	15	.325	.063	1,6	63	437				15B3-TL-SN	15B3-LS-SN		
40	16	.325	.063	1,6	67	471	16X3-HS-SN	16B3-RN-SN		16B3-TL-SN	16B3-LS-SN		
45	18	.325	.063	1,6	74	530	18X3-HS-SN	18B3-RN-SN		18B3-TL-SN	18B3-LS-SN		
50	20	.325	.063	1,6	81	584	20X3-HS-SN	20B3-RN-SN		20B3-TL-SN	20B3-LS-SN		
MS240, MS241, MS260, MS260 PRO, MS261														
32	13	.325	.058	1.5	56	385				13B3-TL-SN	13B8-LS-SN		

STIHL CONTINUED

MS270, MS270C, MS270CQS, MS271, MS280, MS280C, MS280CQS, MS290, MS291, MS310, MS311, MS341, MS360, MS360 PRO, MS360QS, MS361, MS361C, MS362, MS381, MS390, MS391, MS440, MS441, MS460, MS461, MS650, MS660, MS661, FARMBOSS													
40	16	.325	.063	1.6	67	474	16X3-HS-SN	16B3-RN-SN		16B3-TL-SN	16B3-LS-SN		
45	18	.325	.063	1.6	74	530	18X3-HS-SN	18B3-RN-SN		18B3-TL-SN	18B3-LS-SN		
50	20	.325	.063	1.6	81	584	20X3-HS-SN	20B3-RN-SN		20B3-TL-SN	20B3-LS-SN		
40	16	3/8	.050	1,3	60	471	16X0-HS-SN	16A0-RN-SN		16A0-TL-SN	16A0-LS-SN		
45	18	3/8	.050	1,3	66	530	18X0-HS-SN	18A0-RN-SN		18A0-TL-SN	18A0-LS-SN		
32	13	3/8	.063	1.6	50	373				13A3-TL-SN	13A3-LS-SN		
40	16	3/8	.063	1,6	60	471	16X3-HS-SN	16A3-RN-SN		16A3-TL-SN	16A3-LS-SN		
45	18	3/8	.063	1,6	66	530	18X3-HS-SN	18A3-RN-SN		18A3-TL-SN	18A3-LS-SN		
50	20	3/8	.063	1,6	72	584	20X3-HS-SN	20A3-RN-SN		20A3-TL-SN	20A3-LS-SN		
55	22	3/8	.063	1,6	76	623		22A3-RN-SN					
60	24	3/8	.063	1,6	84	697	24X3-HS-SN	24A3-RN-SN					
70	28	3/8	.063	1,6	92	777							
75	30	3/8	.063	1,6	98	810							
80	32	3/8	.063	1,6	105	890							
90	36	3/8	.063	1,6	114	978							
106	42	3/8	.063	1,6	135								
50	20	.404	.063	1,6	66	584	20X3-HS-SN	20F3-RN-SN		20F3-TL-SN			
63	24	.404	.063	1,6	78	697	24X3-HS-SN	24F3-RN-SN					
75	30	.404	.063	1,6	88	810							
80	32	.404	.063	1,6	95	890							
90	36	.404	.063	1,6	104	978							
050, 051, 075, 076, 08S													
43	17	3/8	.063	1,6	66		17X3-HS-S						
53	21	3/8	.063	1,6	75		21X3-HS-S						
63	25	3/8	.063	1,6	90		25X3-HS-S						

STIHL CONTINUED

CHAINSAW BARS & NOTCHES

CHAINSAW NOTES

Archer
AUSTRALIA

ARCHBARS2016