Archer AUSTRALIA

CHAINSAW BAR CATALOGUE

CHAINSAW PADS CONTACTS

Paul M Duggan

380 Foleys Road, Derrimut
(Melbourne) VICTORIA 3030
AUSTRALIA

Phone +613 8390 3900
Fax +613 8390 3999
Mobile +61 414 317 316
Email paul@pmdinter.com.au
Skype paulduggan10

Chris J Fehn
International Sales Manager

PO Box 291209
605 South Brick Road
COLUMBIA, SC 29229
USA

Phone +1 803 736 0758
Fax +1 803 865 8269
Mobile +1 803 309 0822
Email chris@pmdintusa.com
Skype CJFEHN

Cindy Zhang

397 Jinyuan Street,
Dongmei Industrial Park
JINHUA, ZHEJIANG
CHINA

Phone 86 579 8223 9812
Fax 86 579 8223 9821
Mobile 86 138 6899 9730
Email cindy@pmdchina.com.cn
Skype cindypmd

WORLDWIDE OFFICES:

AUSTRALIA
Melbourne

USA
Columbia

CHINA
JinHua

CHAINSAW CONTENTS

Chainsaw Guide Bars	4-8
Part Number System	9
Replacement Guide Bar Noses	11
Chainsaw Guide Bar Mounts	12-17
Application Guide	19-47
Part Number Cross Reference	48-56
Chainsaw Guide Bar Mounts Cross Reference	57-59

PROMAX RN BAR TYPE

Roller sprocket nose guide bar
For professional users
Solid one piece construction
6 rivet nose

Available in:
.325”, 3/8” and .404” noses

.325” x 12 Teeth Sprocket
3/8” x 11 Teeth Sprocket
.404” x 10 Teeth Sprocket

LASERMAX HS BAR TYPE

Professional ‘Stellite’ solid laser welded guide bar

WOODMAX WM BAR TYPE

Mini roller sprocket nose guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” LP noses

.325” x 12 Teeth Sprocket
3/8” LP x 11 Teeth Sprocket

TIMBERMAX LS BAR TYPE

Laminated guide bar
4 rivet replaceable sprocket nose
For professional users

Available in:
.325” and 3/8” sprockets

.325” x 11 Teeth Sprocket
3/8” x 10 Teeth Sprocket

TRIMAX TL BAR TYPE

Heavy duty, laminated guide bar
6 rivet replaceable sprocket nose
For professional users

Available in:
.325”, 3/8” and .404” noses



.325” x 12 Teeth Sprocket
3/8” x 11 Teeth Sprocket
.404” x 10 Teeth Sprocket

MINIMAX CL BAR TYPE

Consumer laminated guide bar
4 rivets replaceable sprocket nose.

Available in:
.325” and 3/8” LP

.325” x 10 Teeth Sprocket
3/8” LP x 9 Teeth Sprocket

HOBBYMAX HL BAR

Consumer laminated guide bar

1 rivet sprocket nose

Available in:
3/8” LP

3/8” LP x 7 Teeth Sprocket
1/4” x 9 Teeth Sprocket

REPLACEMENT NOSES

Professional laminated guide bar

5 rivet nose

Available in:
.404” to .325” and 3/8”

.325” OR325 - .325 x 12 Teeth
3/8” OR38 - 3/8” x 11 Teeth
.404” OR404 - .404 x 10 Teeth

Professional mini roller sprocket nose guide bar

4 rivet replaceable sprocket nose

Available in:
.325” and 3/8” LP

CHAINSAW BARS GUIDE BARS

CARVING BAR

8 X 0 - HS - CCY
10 X 0 - HS - COY
12 X 0 - HS - COY
14 X 0 - HS - COY
16 X 0 - HS - COY
18 X 0 - HS - COY

PRUNING BAR

8D0 - HL - PR 3/8 LP (043 & 050)
8K0 - HL - PR 1/4 (043 & 050)

20 A 3 LS SN



20 Bar Length	A Pitch	3 Gauge	LS Bar Type	SN Mount
12″	A =3/8″ x 10T	0 = .050″ (1.3 mm)	 HS	SN
14″	B =.325″ x 11T	3 = .063″ (1.6 mm)	 RN	HV
16″	D = 3/8″ LP x 9T	4 = .043″ (1.1 mm)	 RL	UH
20″	F = .404″ x 10T	8 = .058″ (1.5 mm)	 LS	SW
etc.	X = Stellite		 TL	PO
	K = 1/4″		 CL	etc.
			 HL	

WE CAN MAKE ANY BAR YOU REQUIRE.

WE ARE HERE TO ASSIST YOU.

Archer AUSTRALIA

3/8" LP CHISEL SAW CHAIN

SPEED & HIGH PERFOMANCE TOGETHER

NEW

Super chain for arborist and professional pruning operators

Excellent aggressive cutting at high speed

Fast and clean cutting while offering quieter operation

Ideal for clean and new tree cutting

Filing marks are located in top-plate of each cutters

All components are BLUED and are coated with protective oil.

All cutters are Chrome plated with layers of industrial hard Chrome.

All ARCHER rivets are processed through our 4 stage Induction Heat Treatment process.

NOSE 1



NOSE 2



NOSE 3



CHAINSAW BARS
REPLACEMENT NOSES



NEW

ALKO, BLACK & DECKER, MCCULLOCH, ECHO, POWER PRUNER, RYOBI, SHINDAIWA

Oregon Mount: A218

***NOTE: Mount illustrations may not be exactly 100% to scale.**

NEW

IN-STORE DISPLAY STAND

Improve your sales and your customers sales with these quality display stands at incredible prices.

- High Quality steel stand
- Modern Slat wall type display
- Flat packed and easy to assemble
- Simple to join stands together
- Great lighting to highlight products
- PRICE only US$120
- No MOQ for Archer stands
- Private label stands available (choose your own colours) **MOQ 100**

AEG, ALPINA, BOSCH, DOLMAR, ECHO, EINHELL, HITACHI, IKRA, JONSERED, MAKITA, OLEO-MAC/OLYMPYK, OPEM, PARTNER, POULAN, RYOBI, SHINDAIWA, SHINGU, SKIL, STANLEY, TANAKA, ZENOAH



Oregon Mount: A041



Oregon Mount: K041

ALKO, ECHO, McCULLOCH, POULAN, TANAKA



Oregon Mount: D176

*NOTE: Mount illustrations may not be exactly 100% to scale.



EFCO, OLEO-MAC/ OLYMPYK, LOGOSOL, STIHL

Oregon Mount: E099



BLACK & DECKER, POWER PRUNER, REMINGTON, RYOBI, SHARK, STIGA

Oregon Mount: A318



HOMELITE

Oregon Mount: A061

*NOTE: Mount illustrations may not be exactly 100% to scale.

HOMELITE,
REMINGTON



Oregon Mount: D096

ALPINA/CASTOR,
CASTEL, DOLMAR,
EINHELL, HOMELITE,
HUSQVARNA, JONSERED,
MAKITA, McCULLOCH,
METABO,
OLEO-MAC/OLYMPYK,
PARTNER, SOLO,
STANLEY, STIGA,
ZENOAH



Oregon Mount: A095

ALPINA/CASTOR,
CASTEL, DOLMAR,
EINHELL, HOMELITE,
HUSQVARNA, JONSERED,
MAKITA, McCULLOCH,
METABO,
OLEO-MAC/OLYMPYK,
PARTNER, SOLO,
STANLEY, STIGA,
ZENOAH



Oregon Mount: K095

*NOTE: Mount illustrations may not be exactly 100% to scale.



ALPINA/CASTOR, DOLMAR, HUSQVARNA, JONSERED, MAKITA, PARTNER, SHINDAIWA, SOLO

Oregon Mount: D009



BLITZ, JONSERED, McCULLOCH, OLEO-MAC/OLYMPYK

Oregon Mount: D024



ALPINA/CASTOR, CASTEL GARDEN, METABO, OLEO-MAC/OLYMPYK, STIHL, STIGA

Oregon Mount: A074

***NOTE: Mount illustrations may not be exactly 100% to scale.**

LOGOSOL, STIHL



Oregon Mount: D025

STIHL



Oregon Mount: E031

FRONTIER, JOBU, JONSERED, PIONEER



Oregon Mount: A064

*NOTE: Mount illustrations may not be exactly 100% to scale.

Archer AUSTRALIA

ARCHER SPROCKETS ARE SUPERIOR TO ALL OTHER SPROCKETS

WHY?

BECAUSE THEY ARE SPECIALLY MADE IN ONE (1) PIECE HOT FORGED FOR SUPERIOR STRENGTH & LONGER PERFORMANCE.

BEARING INCLUDED
OVER 330 MODELS

RIMS INCLUDED
GREAT PACKAGING

SEE ARCHER SPROCKET CATALOGUE FOR COMPLETE LISTINGS

CHAINSAW BARS SPROCKETS

CHAINSAW BARS



ALKO

E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KE4000, KE3500

CM	IN	CHAIN	IN	MM	DL	LENGTH MM			LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
30	12	3/8 LP	.050	1,3	45	348					12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415					14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455					16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

140, 240, KB5000

33	13	.325	.050	1,3	56	384						13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445						15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468							16B0-LS-UH		
45	18	.325	.050	1,3	72	509							18B0-LS-UH		
50	20	.325	.050	1,3	80	583							20B0-LS-UH		

1074, P21, P26, P28, 251, 261, 460, 480

40	16	3/8	.050	1,3	60							16A0-TL-EX	16A0-LS-EX		
45	18	3/8	.050	1,3	64							18A0-TL-E	18A0-LS-E		
	18	3/8	.050	1,3	66							18A0-TL-EX	18A0-LS-EX		
50	20	3/8	.050	1,3	70				20A0-RN-EX			20A0-TL-EX	20A0-LS-EX		
60	24	3/8	.050	1.3	84				24AO-RN-EX						

ALPINA

ELETTRA 160/170, ENERGY 1.6, ENERGY 1.8, SINERGY 35, SINERGY 40, P360, PR361, P370, P390, PR391, PR270, PR280

30	12	3/8 LP	.043	1,1	44	342					12D0-WM-SW			12D4-CL-SW	12D4-HL-SW
35	14	3/8 LP	.043	1,1	50	391					14D0-WM-SW			14D4-CL-SW	14D4-HL-SW
40	16	3/8 LP	.043	1,1	55	434					16D0-WM-SW			16D4-CL-SW	16D4-HL-SW
30	12	3/8 LP	.050	1,3	44	342								12D0-CL-SW	12D0-HL-SW
35	14	3/8 LP	.050	1,3	50	391								14D0-CL-SW	14D0-HL-SW
40	16	3/8 LP	.050	1,3	55	434								16D0-CL-SW	16D0-HL-SW

E120, E130, E150, ES182, ES202,A-10E, A-14E, KS1400B, KS1500B, 352, 382

30	12	3/8 LP	.050	1,3	44	342								12D0-CL-PO1	
35	14	3/8 LP	.050	1,3	52	415					14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455					16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

C25, C38T, EA1800, C1.8E, A4000, A3700, EA2000, QC38, C2.2ET, C2.2E, C2.0ET, C2.0E

	10	3/8	.050												
	14	3/8	.050												
	16	3/8	.050												
	18														

APPLICATION GUIDE

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
ALPINA CONTINUED													
A350, P382, A40, A400, P41, P45, P400, P402, P411 P422, P442, P510, P522, PRO-540, PRO-600, C40, P510, P460, P700, P482, C41, P500, P450, CP66, ,P450 , P470, P480, P45, CP40, CP41, CP540, CP600 CP65, CP55, CP56, PROF 66													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	509		18B0-RN-UH			18B0-LS-UH		
C46, C50, A4500													
.058 GROOVE GUAGE FOR ABOVE BARS													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	567		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
PROF-55, PROF-56, PROF-65, PROF-66, 600, 600i, P650, P700, P750, PROF 800, PROF90, PRO78, 970S, CP90, CP120, C46, C50, A4500													
38	15	3/8	.058	1,5	56	451				15A8-TL-UH	15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18X8-RN-UHX		18X8-TL-UHX			
50	20	3/8	.058	1,5	70	566		20X8-RN-UHX		20X8-TL-UHX	20X8-LS-UH		
50	20	3/8	.058	1,5	72	583		20X8-RN-UH		20X8-TL-UH			
P660, P680, P700, P750, P760, P800													
45	18	3/8	.058	1,5	68	548	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	583	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,6	76	623	22X8-HS-HV	22A8-RN-HV					
BLITZ													
B34, B300, B304, B400, B404, B4, B38, B35D, B35DX, B35, E140F													
30	12	3/8 LP	.050	1,3	44							12D0-CL-OL	
35	14	3/8 LP	.050	1,3	50							14D0-CL-OL	
40	16	3/8 LP	.050	1,3	55							16D0-CL-OL	
B42, B45A, B54A, B46, B51, B38, B41, B54													
33	13	.325	.058	1,5	56	384					13B8-LS-UH		
38	15	.325	.058	1,5	64	445					15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	80	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
BLITZ CONTINUED													
B50, B52, B55, B60, B64, B500, B501S, B502, B504, B600, B701, B702, B80, B800, B802, B804, B52AF, B64XLF													
40	16	3/8	.058	1,5	60	471					16A8-LS-JO		
45	18	3/8	.058	1,5	68	545				18A8-TL-JO	18A8-LS-JO		
50	20	3/8	.058	1,5	72	583				20A8-TL-JO	20A8-LS-JO		
BOSCH													
AKE30/17S-18S-19S, AKE35/17-18-19, AKE40/17-18-19													
30	12	3/8 LP	.043	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.043	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.043	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
1586.7, 1586.8, AKE30B, AKE35, AKE40, GKE35, GKE40, PKE25, PKE30, PKE35, PKE40, AKE35-19PRO, BULLCRAFT													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
KS450													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509					18B0-LS-UH		
50	20	.325	.050	1,3	80	583					20B0-LS-UH		
CARVING BARS													
24mm (quarter) tip with Open mount 1/4 pitch													
	10	1/4	.050	1.3	60	324	10X0-HS-COY						
	12	1/4	.050	1.3	68	342	12X0-HS-COY						
	14	1/4	.050	1.3	76	413	14X0-HS-COY						
	16	1/4	.050	1.3	90	471	16X0-HS-COY						
	18	1/4	.050	1.3	94	520	18X0-HS-COY						
24mm (quarter) tip with Open mount 3/8 LP pitch													
	10	3/8LP	.050	1.3	42	324	10X0-HS-COY						
	12	3/8LP	.050	1.3	45	342	12X0-HS-COY						
	14	3/8LP	.050	1.3	53	413	14X0-HS-COY						
	16	3/8LP	.050	1.3	61	471	16X0-HS-COY						
	18	3/8LP	.050	1.3	64	520	18X0-HS-COY						



CARVING BARS CONTINUED

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
24mm (quarter) tip with closed mount 1/4 Pitch													
	8	1/4	.050	1.3	54	274	8X0-HS-CCY						
	8	1/4	.043	1.1	54	274	8X4-HS-CCY						
	10	1/4	.050	1.3	62	324	10X0-HS-CCY						
24mm (quarter) tip with closed mount 3/8 LP Pitch													
	8	3/8LP	.050	1.3	37	274	8X0-HS-CCY						
	8	3/8LP	.043	1.1	37	274	8X4-HS-CCY						
	10	3/8LP	.050	1.3	42	324	10X0-HS-CCY						

CASTEL

CS16E, CS17E, CS35, CS36, CS39													
30	12	3/8 LP	.050	1,3	44	342			12D0-WM-SW			12D0-CL-SW	12D0-HL-SW
35	14	3/8 LP	.050	1,3	50	391			14D0-WM-SW			14D0-CL-SW	14D0-HL-SW
40	16	3/8 LP	.050	1,3	55	434			16D0-WM-SW			16D0-CL-SW	16D0-HL-SW
CS45, CS50													
33	13	.325	.058	1,5	56	385				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519				18B8-TL-UH	18B8-LS-UH		
CS60													
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	519				18A8-TL-UH	18A8-LS-UH		
50	20	3/8	.058	1,5	70	566				20A8-TL-UHX	20A8-LS-UHX		
50	20	3/8	.058	1,5	72	583				20A8-TL-UH	20A8-LS-UH		

CASTOR

ELETTRA 160/ 170, HIGH TECH 1.6/ 1.8, CP360, CP370, CP380													
30	12	3/8 LP	.050	1,3	44								
35	14	3/8 LP	.050	1,3	50								
40	16	3/8 LP	.050	1,3	55								
C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550													
33	13	.325	.050	1,3	56	385				13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
CASTOR CONTINUED													
C40, C40E, CP41, CP45, CP400, CP450, CP500, CP460, CP510, CP540, CP550													
33	13	.325	.058	1,5	56	385				13B8-TL-UH	13B8-LS-UH		
	14	.325	.058	1,5	60	415				14B8-TL-UH	14B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	465					16B8-LS-UH		
45	18	.325	.058	1,5	72	519					18B8-LS-UH		
50	20	.325	.058	1,5	78	566				20B8-TL-UH	20B8-LS-UH		
50	20	.325	.058	1,5	80	583				20B8-TL-UHX	20B8-LS-UHX		
CP-55, CP-56, CP-65, CP-66, CP600, CP600i, CP650													
40	16	3/8	.050	1,3	60	468					16A0-LS-UH		
45	18	3/8	.050	1,3	64	519		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH		
40	16	3/8	.058	1,5	60	468					16A8-LS-UH		
45	18	3/8	.058	1,5	64	519		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18A8-RN-UHX		18A8-TL-UHX	18A8-LS-UHX		
50	20	3/8	.058	1,5	70	566		20A8-RN-UH		20A8-TL-UHX	20A8-LS-UHX		
50	20	3/8	.058	1,5	72	583		20A8-RN-UHX		20A8-TL-UH	20A8-LS-UH		
CP-700, CP-800, CP750													
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV			
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV			
60	24	3/8	.058	1,5	76	690	24X8-HS-HV	24A8-RN-HV					
CHINA CHAINSAWS													
30	12	3/8 LP	.050	1,3	45				12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	454			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443							16D0-HL-POX
35	14	3/8 LP	.050	1,3	52							14D0-CL-C	
40	16	3/8 LP	.050	1,3	56							16D0-CL-C	
45	18	3/8 LP	.050	1,3	62							18D0-CL-C	
35	14	.325	.050	1.3	60						14B0-LS-C		
40	16	.325	.050	1.3	64						16B0-LS-C		
45	18	.325	.050	1.3	72						18B0-LS-C		
50	20	.325	.050	1.3	76						20B0-LS-C		



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
DOLMAR													
ES-31, ES-36, PS39, ES-40, ES-152A, ES-162A, AS-172A, PS33, PS-34, PS-3300TH, PS-330, PS-340, PS-341,PS342, PS-344, PS350, PS-400, PS-401, PS410, PS411, 90VP, 95VP, 3000, PS45, PS41													
30	12	3/8 LP	.043	1.1	45	348						12D4-CL-PO	12D4-HL-PO
35	14	3/8 LP	.043	1,1	52	415						14D4-CL-PO	14D4-HL-PO
40	16	3/8 LP	.043	1,1	56	443						16D4-CL-PO	16D4-HL-PO
PS3400, PS342, 100, 101, 102, 103, 104, 105, 106, 108, PS390, 275, 285, 295, ES140, ES160, ES1600, ES31, PS3410, ES152A, ES162A, ES172A, CS2040, ES151, ES140, 275, ES30, ES160, 285, ES161, ES2040, ES2035, ES153, ES183, ES173, ES163													
30	12	3/8 LP	.050	1.1	45	348			12D0-WM--PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,1	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,1	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
PS-32 , PS-351, PS-420, PS-35, PS-421, PS-5105, PS-510, PS-5105H, PS-6100, PS-6400, PS-6400H, PS-6400W													
	12	3/8	.050										
	14	3/8	.050										
	16	3/8	.050										
	18	3/8	.050										
	20												
PS-7310, PS-7310 H, PS-7910 H, PS-7910 W, PS-7910 XD													
	PHO	3/8	.050										
PS-510													
	18	.325	.050										
109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500													
38	15	.325	.050	1,3	64	445				15X0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	509				18B0-TL-UHX	18B0-LS-UHX		
50	20	.325	.050	1,3	78	566		20B8-RN-UH			20B8-LS-UH		
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	465				16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED

DOLMAR CONTINUED

109, 111, 112, 114,115, 116 , 117, 119, 219, PS460, PS 52, PS510, PS540, PS5000, PS5100,PS-5105, PS-6000iH, PS-6800i, PS-6800iH, 120si, 1231, PS-6100, PS43, PS4600, PS500													
40	16	3/8	.058	1,5	60	465				16A8-TL-UH	16A8-LS-UH		
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
50	20	3/8	.058	1,5	72	583		20A8-RN-UH		20A8-TL-UH	20A8-LS-UH		
60	24	3/8	.058	1,5	84	662							
45	16	3/8	.050	1,3	60	471				16A0-TL-UH	16A0-LS-UH		
50	18	3/8	.050	1,3	64	515		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH		
50	20	3/8	.050	1,3	72	583		20A0-RN-UH		20A0-TL-UH	20A0-LS-UH		
60	24	3/8	.050	1,3	84	662							
122, 123, 133, 143, 144, 152, 153, 166, 186, CA													
43	17	3/8	.063	1,6	64								
53	21	3/8	.063	1,6	73								
63	25	3/8	.063	1,6	87								
PS-6400, PS-7300, PS-7900, PS9000, PS9010													
40	16	3/8	.058	1,5	60	471	16X8-HS-HV						
43	17	3/8	.058	1,5	64	508							
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV			
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV			
55	22	3/8	.058	1,5	76	623	22X8-HS-HV	22A8-RN-HV					
60	24	3/8	.058	1,5	84	690							
65	26	3/8	.058	1,5	89								
70	28	3/8	.058	1,5	92	768							

ECHO (KIORITZ)

CS-280, CS-302, CS-304VL,CS320, 341, 346, 3000, 3400, 3450, CS-280EG, CS-280EVL, CS-351IVL CS260, CS2700,													
25	10	1/4	.050	1,3	56	300							10K0-HL-PO
30	12	1/4	.050	1,3	66	351							12K0-HL-PO
35	14	1/4	.050	1,3	76	417							14K0-HL-PO
CS2700, CS-285EVL, CS-290EVL, CS-300EVL, CS320, CS-280E, CS-302, CS305, CS310, CS-315, CS-320EVL, CS-328, CS-330EVL, CS-360EVL, E155, CS-2800, CS-2900, CS3000, CS3050, CS-3400, CS3450, ECS150/1850FT, CS2600/ 3000/3400, CS3050/CS3500, CS-271, CS-301, CS-302S, CS-330, CS-340, CS341, CS-345, CS346, CS-351, CS-352, ECS-2000, ECS-3000, CS-4400, CS-2600, E255, CS260, CS370, CS370T, CS2700, CS350													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

APPLICATION GUIDE



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED

ECHO (KIORITZ) CONTINUED

CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500													
35	13	.325	.050	1,3	56								
	14	.325	.050	1,3	61	415					14B0-LS-TO		
40	15	.325	.050	1,3	64	454					15B0-LS-TO		
45	16	.325	.050	1,3	66	465					16B0-LS-TO		
	18	.325	.050	1,3	72	519					18B0-LS-TO		

CS350, CS-3600, CS370, CS3700, CS3900, CS-4000, CS490, CS400EVL, CS440EVL, CS440EVLH, CS450, CS4200, CS-500, CS-510, CS520, CS530,CS550, CS-360EVL, CS4010, CS4100, CS420, CS4400, CS-4510, CS4600, CS4610, CS5000, CS5100, CS4500													
40	16	.325	.058	1,5	66						16B8-LS-ET		
45	18	.325	.058	1,5	72						18B8-LS-ET		

CS-303T, CS60S, CS451VL, CS452VL, CS500EVL, CS501, CS510EVL, CS550EVL, CS590, CS-600EVL, CS602VL, CS-610EVL, CS620, CS-650EVL, CS-660EVL, CS-680, CS-702VL, CS750EVL, CS-750VL, CS5000, CS-5500, CS5501, CS-501, CS-601, CS610, CS-670, CS-701, CS702, CS-706, CS800, CS6700, CS6701, CS6702, CS6703, CS8000 , CS8001, CS8002													
ALL EX BARS AVAILABLE IN .050 & .058 GAUGE GROOVES													
40	16	3/8	.050	1,3	60					16A0-TL-EX	16A0-LS-EX		
45	18	3/8	.050	1,3	64					18A0-TL-E	18A0-LS-E		
	18	3/8	.050	1,3	66					18A0-TL-EX	18A0-LS-EX		
50	20	3/8	.050	1,3	70			20A0-RN-EX		20A0-TL-EX	20A0-LS-EX		
60	24	3/8	.050	1.3	84			24AO-RN-EX					

EFCO

125, 131, 132, 137, 141S, MT3500, MT3600, MT3700 MT3750, MT4000, MT350, MT440, MT4100													
25	10	3/8LP	.050	1.3	40	300			10D0-WM-PO			10D0-CL-PO	10D0-HL-PO
30	12	3/8LP	.050	1.3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8LP	.050	1.3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8LP	.050	1.3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO

141S, MT4100SP, MT440, MT4400													
40	16	325	.050	1.3	66	468					16B0-LS-TO1		
45	18	325	.050	1.3	72	519					18B0-LS-TO		

147, 152, 156, 162, 165, MT5200													
33	13	.325	.058	1,5	56	384					13B8-LS-UH		
38	15	.325	.058	1,5	64	445					15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	80	583		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		

CHAINSAW BARS



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
EFCO CONTINUED													
147, 152, 156, 162, 165, MT6500													
33	13	3/8	.058	1,5		384							
38	15	3/8	.058	1,5		445					15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	68	519		18B8-RN-UH		18A8-TL-UH	18A8-LS-UH		
50	20	3/8	.058	1,5	72	583		20B8-RN-UH		20A8-TL-UH	20A8-LS-UH		
181, MT6500, MT7200, MT8200													
40	16	3/8	.058	1,5	60	474				16A8-TL-HV	16A8-LS-HV		
45	18	3/8	.058	1,5	68	549				18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586				20A8-TL-HV	20A8-LS-HV		
170, 180, 171, 181													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO	16A8-LS-JO		
45	18	3/8	.058	1,5	68	545				18A8-TL-JO	18A8-LS-JO		
50	20	3/8	.058	1,5	72	583				20A8-TL-JO	20A8-LS-JO		
199													
43	17	.404	.063	1,6	60								
53	21	.404	.063	1,6	68								
POLE PRUNER PT2700, PTX2700,PT2500													
25	10	3/8LP	.043	1.1	39							10D4-CL-MS	
EINHELL													
PES30/2, PES34/2, PES34/3, PES35, PES35/2TS, PES35/3, PES35/3TS, PES40/3, PROFI, PKS35/1AV, PKS40/1AV, 45/1AV, KES1640, PES1540, KSE1435/1635/1640/2000, PKS1635/1840													
30	12	3/8 LP	.050	1,3	45	348						12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455						16D0-CL-PO	16D0-HL-PO
PKS45/1AV, PKS50/1AV, RBK 5045													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468				16B8-TL-UH	16B8-LS-UH		
45	18	.325	.058	1,5	72	509		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
FRONTIER													
MARK I, MARK 11 VIP, F35AV, FB35, FP35, FP45, FP365VIP													
35	14	3/8 LP	.050	1,3	50	452						14D0-CL-F	
40	16	3/8 LP	.050	1,3	56								

APPLICATION GUIDE



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
FRONTIER CONTINUED													
FP45													
40	16	.325	.050	1,3	66								
45	18	.325	.050	1,3	72								
HITACHI													
CS280, CS350, CS280B, CS350B, CS350A, CS35B													
30	12	3/8 LP	.050	1,3	45	348						12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	57	455						16D0-CL-PO	16D0-HL-PO
HOMELITE													
180 SERIES,192, 200, 240SL, 245SL, SUPER 2, (SL, CC, XL, VI), XEL, EL, XL SERIES, SUPER Z, 35SL, ELECTRIC, XL-10, BANDIT LX30, EL14, SABRE 31, 33, 205, 3350B,190, 240, 245, (BEFORE # XE339), ELECTRIC 200, LITTLE RED, LX-30, VI SUPER, XEL ELECTRIC													
30	12	3/8 LP	.050	1,3	48							12D0-CL-HX	
35	14	3/8 LP	.050	1,3	53							14D0-CL-HX	
40	16	3/8 LP	.050	1,3	59							16D0-CL-HX	
45	18	3/8 LP	.050	1,3	64								
20, 20AV, 23AV, 3300, 3350, 3800, 3850, 4500, 4550, CS40, Z3850, PS33, RANGER, BANDIT 33/38 SERIES- 3314, 3316, ZR10540/60/80, 3318, CS40, UT10640, UT10660, UT10680, 13350, UT43120, UT43122, UT10510/4/6/7, UT10530/40/44/89, UT10901/26/47, UT43100/2/3													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510			18D0-WM-PO			18D0-CL-PO	18D0-HL-PO
25, 25AV 27,27AV, 4100, 4150, 4500, 4550, D4550B, I4150B, I4550B, TIMBERMAN, UT10896, UT10910, UT10926, UT10927A, UT10942A, UT10946A, UT10974, UT10518/9/20/26/50/52, ZR10520/22, UT10896													
40	16	.325	.050	1,3	66	465						16B0-CL-PO	16B0-HL-PO
45	18	.325	.050	1,3	72	519						18B0-CL-PO	18B0-HL-PO
50	20	.325	.050	1,3	78	567						20B0-CL-PO	
35SL, 330, 350, 360, SUPER XL, , BIG RED, XL12, XL-AO, XL400, UT43122, 410, 450, 460, 540, 550,650, 700, 750, 800, 825, 850,900, 922, 923, 925, 955, 8800, SXL, UT43103, XL700, XL800, XL900													
	14	3/8	.050										
40	16	3/8	.050	1,3	59						16A0-LS-HN		
45	18	3/8	.050	1,3	64						18A0-LS-HN		
50	20	3/8	.050	1,3	70						20A0-LS-HN		
60	24	3/8	.050	1,3	84								



HOMELITE CONTINUED

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
SUPER 240, 250, 252, 290, 300, 340 CS40, CS50, 415, 4550, HSC4040, 4545, 30, 150,EZ, EZ AUTO, 130, SUPEREZ, SUPER XK MINI, EZ250, 252, VI SUP MINI, VI-123, VI-125, XL-76, XL100 SERIES,XL 250													
33	13	.325	.050	1,3	56	384				13B0-TL-UH	13B0-LS-UH		
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509					18B0-LS-UH		
50	20	.325	.050	1,3	80	583					20B0-LS-UH		

HUSQVARNA

23, 36, 41, 136, 137, 141, 142, 235, 240, 243, E16, E316, E317, E321, 250PS													
20	8	3/8LP	.050	1.3	32	268							8D0-HL-PO
25	10	3/8LP	.050	1.3	40	300							10D0-HL-PO
30	12	3/8LP	.050	1.3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8LP	.050	1.3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8LP	.050	1.3	57	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
128LDX, 325P4X, 326P4X, 323P4, 327P5, 327PT5S, 33,34, 37, 333, 334T, 335XPT, 338, 136, T435, T540,137, 141, 142, 240, 243, 315E, 316E, 318E, 236E, 240E, 321E, 1400, 1600, 325P, T425, T435, 320E, 321EL, 135E													
25	10	3/8LP	.050	1,3	40								
30	12	3/8 LP	.050	1,3	45	342						12D0-CL-UH	
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-UH	
40	16	3/8 LP	.050	1,3	57	454						16D0-CL-UH	
38, 40, 40P, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 136, 137, 140, 141, 142, 154, 234, 235, 238, 240, 242XP, 243, 440E, 550XP, 246, 254XP/G, 257, 261, 262XP, 262XPG, 336, 339, 338, 340, 445E, 450E, 345, 346XP, 350, 351, 353, 357XPG, 359, 360, 362, 365, 550XP TrioBrake, EL16, EL1400, EL1500, EL1600, EL1200													
38	15	.325	.050	1,3	64	445				15B0-TL-UH	15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	509		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
40S, 55 RANCHER, 435, 440, 444, 445, 450, 455 RANCHER, 460 RANCHER, 555, 560XP, 570													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	509		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
50	20	.325	.058	1,5	80	583		20B8-RN-UHX		20B8-TL-UHX			



HUSQVARNA CONTINUED

154, 346XP, 254XP/G, 257XP, 262, 262XP, 362XP/G, 243, 261, 357XP, 55 RANCHER, 562XP AUTOTUNE

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
38	15	3/8	.058	1,5	56	451				15A8-TL-UH	15A8-LS-UH		
40	16	3/8	.058	1,5	60	465					16A8-LS-UH		
45	18	3/8	.058	1,5	64	509		18A8-RN-UH		18A8-TL-UH	18A8-LS-UH		
45	18	3/8	.058	1,5	68	548		18A8-RN-UHX		18A8-TL-UHX			
50	20	3/8	.058	1,5	70	566		20A8-RN-UHX		20A8-TL-UHX			
50	20	3/8	.058	1,5	72	583		20A8-RN-UH		20A8-TL-UH			

162, 61, 64, 65, 66, 70, 77, 160, 162, 181, 185, 260, 266, 266XP, T540XP, 268XP, 272, 272XP, 281XP, 285XP, 288XP, 298X, 365, 371XP, 372XP, 380, 385XP, 390XP, 394XP, 395XP, 480, 562, 570, 575, 576, 3120XP, 1100, 2100, 2101, 3120, 460

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
40	16	3/8	.050	1,3	60	471	16X0-HS-HV			16A0-TL-HV	16A0-LS-HV		
45	18	3/8	.050	1,3	68	549	18X0-HS-HV	18A0-RN-HV		18A0-TL-HV	18A0-LS-HV		
50	20	3/8	.050	1,3	72	586	20X0-HS-HV	20A0-RN-HV		20A0-TL-HV	20A0-LS-HV		
60	24	3/8	.050	1,3	84	690	24X0-HS-HV	24A0-RN-HV					
70	28	3/8	.050	1,3	92	768							

556 AUTOTUNE, 570 AUTOTUNE, 576XP AUTOTUNE, 390XP, 395XP

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
			.058	1,5	52					13A8-TL-HV			
40	16	3/8	.058	1,5	60	471	16X8-HS-HV			16A8-TL-HV	16A8-LS-HV		
43	17	3/8	.058	1,5	64	508					17A8-LS-HV		
45	18	3/8	.058	1,5	68	549	18X8-HS-HV	18A8-RN-HV		18A8-TL-HV	18A8-LS-HV		
50	20	3/8	.058	1,5	72	586	20X8-HS-HV	20A8-RN-HV		20A8-TL-HV	20A8-LS-HV		
55	22	3/8	.058	1,5	76	623		22A8-RN-HV					
60	24	3/8	.058	1,5	84	690	24X8-HS-HV	24A8-RN-HV					
65	26	3/8	.058	1,5	89								
70	28	3/8	.058	1,5	92	768							
80	32	3/8	.058	1,5	102	890							
90	36	3/8	.058	1,5	115	983							
50	20	3/8	.063	1,6	72	586	20X3-HS-HV	20A3-RN-HV		20A3-TL-HV	20A3-LS-HV		
60	24	3/8	.063	1,6	84	690	24X3-HS-HV	24A3-RN-HV					
70	28	3/8	.063	1,6	92	768							
80	32	3/8	.063	1,6	102	890							
90	36	3/8	.063	1,6	115	983							



CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
HUSQVARNA CONTINUED													
3120 XP													
50	20	.404	.063	1,6	66	586	20X3-HS-HV	20F3-RN-HV		20F3-TL-HV	20F3-LS-HV		
60	24	.404	.063	1,6	76	690	24X3-HS-HV	24F3-RN-HV					
80	32	.404	.063	1,6	92	890							
90	36	.404	.063	1,6	104	983							
JOHN DEERE													
25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CS36, CS40, CS40V, 45, 46, J3816													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	455			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
45	18	3/8 LP	.050	1,3	62	510						18D0-CL-PO	18D0-HL-PO
45, 46, 300, 450													
40	16	.325	.050	1,3	66	465						16B0-CL-PO	16B0-HL-PO
45	18	.325	.050	1,3	72	519						18B0-CL-PO	18B0-HL-PO
CS46, CS52, 76EV, 450V, 300CS, 350CS													
40	16	.325	.050	1,3	66	465					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
50	20	.325	.050	1,3	78	566		20B0-RN-UH		20B0-TL-UH	20B0-LS-UH		
CS-46, CS-52, CS-56, CS-62, 50V, 51SV, 55SV, 550CS, 60V													
40	16	3/8	.050	1,3	60	468					16A0-LS-UH		
45	18	3/8	.050	1,3	64	509		18A0-RN-UH		18A0-TL-UH	18A0-LS-UH		
50	20	3/8	.050	1,3	70	566		20A0-RN-UH		20A0-TL-UH	20A0-LS-UH		
60	24	3/8	.050	1,3	84	662							
80EV, CS71, CS81, 80EV, 800V, 65SV													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO			
45	18	3/8	.058	1,5	66	545				18A8-TL-JO			
50	20	3/8	.058	1,5	72	583				20A8-TL-JO			
60	24	3/8	.058	1,5	83								
70	28	3/8	.058	1,5	94								



JONSERED CONTINUED

CM	IN	CHAIN	IN	MM	DL	LENGTH MM	LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED
M36, 36AV, M361,361,365, 370													
30	12	3/8 LP	.050	1,3	45	395						12D0-CL-F	
35	14	3/8 LP	.050	1,3	50	452						14D0-CL-F	
40	16	3/8 LP	.050	1,3	57								
2033TH, 2137, 2138, 2234, 2238													
30	12	3/8 LP	.050	1,3	45	348			12D0-WM-PO			12D0-CL-PO	12D0-HL-PO
35	14	3/8 LP	.050	1,3	52	415			14D0-WM-PO			14D0-CL-PO	14D0-HL-PO
40	16	3/8 LP	.050	1,3	56	443			16D0-WM-PO			16D0-CL-PO	16D0-HL-PO
2035, 2036, 2040, 2135, 2121, 2117, 2118, 2121, 2135T, 2138, 2139, 2121EL, 2118EL, 2115EL, 2116EL, 2117EL, 2234, 2238													
30	12	3/8 LP	.050	1,3	45	342						12D0-CL-UH	
35	14	3/8 LP	.050	1,3	52	415						14D0-CL-UH	
40	16	3/8 LP	.050	1,3	57	454						16D0-CL-UH	
EL14, EL45, 45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2252, 2253, 2258, 2260													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
38	15	.325	.050	1,3	64	445					15B0-LS-UH		
40	16	.325	.050	1,3	66	468					16B0-LS-UH		
45	18	.325	.050	1,3	72	519		18B0-RN-UH		18B0-TL-UH	18B0-LS-UH		
45E, 49SP, 50, 51, 52, 370, 380, 410, 420, 425, 435, 450, 451, 451EVS, 452, 455, 490, 510, 520, 521, 525, 535, 590, 2012, 2012EL, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2050, 2051, 2054, 2055, 2063,2137, 2139, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2159, 2163, 2234, 2238, 2240, 2245, 2250, 2255, 2258, 2260, 2255S, 2234S, 2252, 2253WH, 2260WH													
3/8 ALSO AVAILABLE													
33	13	.325	.058	1,5	56	384				13B8-TL-UH	13B8-LS-UH		
38	15	.325	.058	1,5	64	445				15B8-TL-UH	15B8-LS-UH		
40	16	.325	.058	1,5	66	468					16B8-LS-UH		
45	18	.325	.058	1,5	72	519		18B8-RN-UH		18B8-TL-UH	18B8-LS-UH		
50	20	.325	.058	1,5	78	566		20B8-RN-UH		20B8-TL-UH	20B8-LS-UH		
60, 61, 62, 66, 70, 75, 77, 80, 81, 90. 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 930, 941													
40	16	3/8	.058	1,5	60	471				16A8-TL-JO			
45	18	3/8	.058	1,5	64	545				18A8-TL-JO			
50	20	3/8	.058	1,5	72	583				20A8-TL-JO			

CHAINSAW BARS



LASERMAX PROFESSIONAL STELLITE	PROMAX PROFESSIONAL SOLID RSN	WOODMAX MINI RSN SOLID	TRIMAX PROFESSIONAL LAMINATED	TIMBERMAX PROFESSIONAL LAMINATED	MINIMAX CONSUMER LAMINATED	HOBBYMAX CONSUMER LAMINATED

APPLICATION GUIDE

Archer
AUSTRALIA

ARCHBARS2016